



2019/2020

Facilities Management Flooring Solutions



Jangro
Think Professional



Regardless of building size, there is always a responsibility to provide a safe and clean environment for staff and visitors. Jangro is proud to offer a collection of floor level safety and hygiene products for effective Facilities Management. Choosing quality first time gives you peace of mind and saves you time and money in the long run.

Our Passion

Floor mats are an often-overlooked item, but if the right product is applied first time, the benefits can be felt further down the line – from initial cost savings through to reduced cleaning and replacement expense.

Service

Our experienced team of matting experts are free and available for site survey visits around the UK and Ireland. We will work with you to determine the best product solution for your environment, so that your investment is rewarded.

Solutions

Our product range offers an option for every budget and situation. It broadly spans loose lay and fitted entrance mats, floor tapes and paint, cable protectors, electrical safety matting, and both anti-fatigue and non-slip mats for personnel in the workplace.

Next Day Delivery

We are able to offer next day delivery on stock items – please request when placing your order. Standard delivery is 2-3 working days.

CONTENTS

Entrance Mats

4-9

- External Entrance Mats
- Internal Entrance Mats

Entrance Matting Systems

10-19

- Aluminium Systems
- Modular Tile Systems
- Aluminium-Effect and Designer Matting
- Bespoke Logo Matting
- Entrance Carpet by the roll

Flooring

20-22

- Non-Slip Floor Coverings
- Interlocking Floor Tiles

Floor Level Safety Accessories

23-25

- Floor Tapes
- Line Marking Paint

Electrical Safety

26-28

- Cable Protectors
- Switchboard Matting

Workplace Matting

29-33

- Foam Anti-Fatigue Mats
- Heavy Duty Rubber Tiles

Mats for Catering & Hospitality

34

Mats for Leisure

35

THE ISSUES



Slips and Trips

Still the largest cause of accidents in the workplace, serious injury can occur in an instant. Effective entrance matting can reduce walked in dirt and moisture, greatly reducing risk. Non-slip accessories throughout the building then further protect you from this costly hazard.



Cleaning Costs

It can cost £500 to remove 1kg once inside a building and it's possible for 1 person to walk in 0.58 grams of dirt per day. 1,000 people in 20 days generate 11kg – or £5,800 in potential cleaning costs. Entrance matting can reduce walked in dirt by up to 90%.



Health and Wellbeing

An increasingly hot topic in recent years, the health and wellbeing of workers is not only important, but if properly managed can provide return value through reduced absenteeism and staff turnover.



Life Cycle Sustainability

One of the first entrance matting manufacturers to embrace BIM (Building Information Modelling), Jangro has level-2 compliant objects for its products available for new construction projects. In principle we are committed to finding the right solution for each building so that its life is maximised and environmental impact reduced.

Entrance Mats

Stop dirt and moisture at the door and protect internal floors

Buying entrance mats outright often makes financial sense in the long term. Rather than paying a monthly fee for servicing, a mat can remain effective for several years if well looked after. In addition, there is an environmental cost attached to serviced mats, from the transport to and from facilities, and the harsh chemicals used to clean them.

Ringmat

Extremely tough rubber matting

The ideal choice for demanding conditions such as icy, snow prone locations. Provides excellent slip resistance – conforms to Slip Resistance Test EN 13552 Category R10. Large holes allow debris to fall through the mat. The raised pattern scrapes dirt and debris from footwear. Available in Honeycomb and Octomat designs. Octomat gives the option of brush inserts for enhanced scraping. Optional B1 fire tested mats are available. Connectors available to link matting for larger area coverage. Material: rubber. Product Height: 23mm

Octomat	Part Code	Honeycomb	Part Code
0.4m 0.6m (17mm)	HK223	0.4m 0.6m (23mm)	HK201
0.6m x 0.8m	HK221	0.6m x 0.8m	HK202
0.5m x 1m	HK224	0.8m x 1.2m	HK203
1m x 1.5m	HK222	1m x 1.5m	HK204
Accessories	Part Code	Accessories	Part Code
Connector	HK206	Blue brush	HK207-B
Black brush	HK207-BK	Red brush	HK207-R
Grey brush	HK207-GY	Green brush	HK207-G



Octomat



Honeycomb



Fingertip

Natural rubber doormat gives dirt the brush-off

Flexible natural rubber nodules deliver excellent dirt scraping and trapping action. Dirt is effectively brushed off then retained in a solid base. Ideal for most weather conditions making it suitable for outdoor use. Slip-resistant base to help retain position. Safety bevelled edges all round. Material: rubber. Product Height: 13mm

Sizes	Part Code
0.35m x 0.6m (10mm)	HK049
0.6m x 0.8m	HK045
0.8m x 1m	HK046
0.9m x 1.5m	HK047
0.9m x 1.8m	HK048

COBAScrape

A hardwearing nitrile, multi-tasker

Heavy-duty 100% nitrile doormat. Ideal for wet, greasy or oily conditions. Raised pattern scrapes dirt and retains water. Holds up to 2.6 litres water/m² or 1.5kg of dry dust/m². Helps to reduce the risk of slipping on wet floors. Machine washable. Suitable for outdoor and indoor use. Safety bevelled edging as standard. Material: Nitrile rubber. Product Height: 6mm

Sizes	Part Code
0.85m x 0.75m	HK050
0.85m x 1.5m	HK051
0.85m x 3m	HK052
1.15m x 1.75m	HK053

Octoroll

Reduce dirt and moisture ingress to a building

Extremely tough rubber matting can last for years. Available by the metre for easy ordering. The ideal choice for busy entrances in any weather. Large holes allow debris to fall through the mat and remain outside. The surface pattern scrapes dirt and debris from footwear. Product Height: 13mm

Sizes	Black
1m x 9.3m	HK225
1m x per linear metre	HK226




Entramat

Reduce walked in debris with this effective scraper mat

Light and flexible mat is easy to move and clean. Trademarked woven PVC design in production for 40 years! High-quality material provides long life outdoors. Cross-ribbed surface scrapes footwear and the open holes capture debris. Bevelled edging provides safety for pedestrian and wheeled traffic. Available in Standard and Heavy-Duty weave options. Product Height: 12mm

Sizes	Heavy	Standard
0.6m x 1.2m	HK253	HK256
1m x 1.5m	HK254	HK257
1.2m x 1.8m	HK255	HK258



Rampmat

Economical entrance mat for outside

Raised honeycomb pattern captures moisture and debris. Manufactured from durable NBR rubber making this suitable for all weathers. Moulded bevelled edging for safety and wheeled access. Product Height: 10mm

Sizes	Black
0.8m x 1.2m	HK040
0.9m x 1.5m	HK041

Internal Entrance Mats



Black/Steel



Black/Brown



Black/Blue



Black/Red

Vyna-Plush

The perfect low cost doormat

Budget doormat offering all-round performance. Scrapes dirt and wipes moisture. 100% polypropylene fibre 'scraping' surface. Slip and stain-resistant PVC 'stay in place' backing. Pile material: 100% polypropylene. Backing: Slip and stain-resistant PVC. Product Height: 7mm

Sizes	Black/Steel	Black/Brown
0.6m x 0.9m	HK025-GY	HK025-BR
0.9m x 1.2m	HK026-GY	HK026-BR
0.9m x 1.5m	HK027-GY	HK027-BR
1.2m x 1.8m	HK028-GY	HK028-BR
0.9m x per linear metre (max. 25m)	HK029-GY	HK029-BR
1.2m x per linear metre (max. 25m)	HK031-GY	HK031-BR

Sizes	Black/Blue	Black/Red
0.6m x 0.9m	HK025-B	HK025-R
0.9m x 1.2m	HK026-B	HK026-R
0.9m x 1.5m	HK027-B	HK027-R
1.2m x 1.8m	HK028-B	HK028-R
0.9m x per linear metre (max. 25m)	HK029-B	HK029-R
1.2m x per linear metre (max. 25m)	HK031-B	HK031-R

Entra-Plush

Crush-resistant carpet doormat

Effective carpet doormat for floor protection. Crush resistant, quick drying carpet surface. Ideal for wiping moisture from wet footwear. Polypropylene fibres scrape and trap dirt. Slip and stain-resistant PVC 'stay in place' backing. Pile material: 100% polypropylene. Backing: Slip and stain-resistant PVC. Product Height: 7mm

Sizes	Blue	Red
0.6m x 0.9m	HK473-B	HK473-R
0.9m x 1.5m	HK474-B	HK474-R
1.2m x 1.8m	HK475-B	HK475-R

Sizes	Brown	Grey
0.6m x 0.9m	HK473-BR	HK473-GY
0.9m x 1.5m	HK474-BR	HK474-GY
1.2m x 1.8m	HK475-BR	HK475-GY



Blue



Red



Brown



Grey

COBAwash®**Machine washable entrance mat for extended lifespan**

Offers effective floor protection even in busy pedestrian entrances. Easy care, smaller sizes* can be washed in a standard washing machine. (All sizes can be washed in an industrial washing machine.) Tufted nylon/polyester carpet pile retains up to 3.5 litres/m² of moisture. Also traps up to 800g of debris/dry dust. Bleach / fade resistant – 11 year warranty against significant colour loss. Pile material: nylon/polyester. Features a robust nitrile backing. Product Height: 9mm

Sizes	Black/Steel	Black/Brown	Black/Blue	Black/Red
0.6m x 0.85m*	HK021-GY	HK021-BR	HK021-B	HK021-R
0.85m x 1.2m*	HK024-GY	HK022-BR	HK022-B	HK022-R
0.85m x 1.5m	HK023-GY	HK023-BR	HK023-B	HK023-R
1.15m x 1.75m	HK024-GY	HK024-BR	HK024-B	HK024-R



Black/Steel



Black/Brown



Black/Blue



Black/Red

**KEEP INTERNAL FLOORS
DRY AND SLIP FREE**

Toughrib**Robust surface is tough on dirt**

Ribbed carpet surface scrapes dirt and moisture from shoes. Debris is collected in the carpet surface 'channels'. Non-staining, slip-resistant PVC backing. Pile material: 100% polypropylene. Backing: Slip and stain-resistant PVC. Product Height: ISO 1766 - 6mm ±0.5mm

Sizes	Charcoal	Brown	Grey	Red	Green
0.6m x 0.9m	HK068-CH	HK068-BR	HK068-GY	HK068-R	HK068-G
0.8m x 1.2m	HK071-CH	HK071-BR	HK071-GY	HK071-R	HK071-G
0.9m x 1.5m	HK069-CH	HK069-BR	HK069-GY	HK069-R	HK069-G
1.2m x 1.8m	HK070-CH	-	-	-	-



Charcoal



Brown



Grey



Red



Green

Microfibre Doormat**Stop moisture from creating slips hazards**

Microfibre carpet doormat has super absorbency. Washable mat provides extended lifespan. Microfibre technology is more hygienic. Superior 'brushing and wiping' with 'rapid dry' properties – even out performs cotton. Flexible, ultra-fine fibres (even finer than a human hair) provide deep-cleaning action on passing footwear. Effectively penetrates those hard to reach treads on footwear and wheeled trolleys. Friction from the fibres generates a static charge that attracts and traps dust/debris. Filament structure creates a capillary effect for improved dirt retention/absorbency. Filament structure creates a capillary effect for improved dirt retention/absorbency. Luxuriously soft pile that looks smart and will not lint. Environmentally-friendly – does not require chemical pre-treatment or washing detergents. Pile material: Microfibre. Product Height: 8mm

Sizes	Black	Beige
0.6m x 0.9m	HK032-BK	HK032-BG
0.9m x 1.5m	HK033-BK	HK033-BG



Black



Beige



Internal Entrance Mats



Enviro-Mat

Environmentally friendly doormat

Made from 100% recycled bottles and tyres. Heavy-duty recycled rubber backing helps to grip to the floor surface. Raised pattern polyester carpet surface captures dirt. Total carpet coverage eliminates torn borders. UV and fade resistant surface. Pile material: 100% recycled plastic (bottles). Backing: 100% recycled rubber (tyres). Product Height: 10mm

Sizes	Black	Brown	Grey	Blue
0.6m x 0.9m	HK261-BK	HK261-BR	HK261-GY	HK261-B
0.9m x 1.5m	HK262-BK	HK262-BR	HK262-GY	HK262-B
1.2m x 1.8m	HK263-BK	HK263-BR	HK263-GY	HK263-B



Black



Brown



Grey



Blue

Superdry

Doormat with maximum moisture-retention

Raised reinforced 'waffle' pattern scrapes dirt. All round high performance doormat. Heavy-duty polypropylene loop pile surface. Lipped edges retain moisture within the mat frame. Rubber backing holds the mat in place. Pile material: Polypropylene. Backing: anti-slip rubber. Product Height: 7mm

Sizes	Black	Blue	Red
0.6m x 0.9m	HK077-BK	HK077-B	HK077-R
0.9m x 1.5m	HK078-BK	HK078-B	HK078-R
1.15m x 1.75m	HK080-BK	HK080-B	HK080-R

Sizes	Brown	Grey
0.6m x 0.9m	HK077-BR	HK077-GY
0.9m x 1.5m	HK078-BR	HK078-GY
1.15m x 1.75m	HK080-BR	HK080-GY



Black



Blue



Red



Brown



Grey

Internal Entrance Mats


Logomat


Communicate branding from the moment visitors arrive

Impressive statement, makes an instant impact. Customised doormat for individual logos or messages. Choose from 40 colours (maximum of six per mat). Equal performance in trapping dirt and moisture. Durable solution-dyed nylon surface tufted into a non-woven polyester. Soft carpet pile retains moisture, holding up to 2.5 litres water/m². 11 year warranty against fading. Standard sizes are machine washable for easy care. Standard sizes are machine washable for easy care. Pile material: nylon/polyester. Backing: anti-slip nitrile rubber. Product Height: 7.5mm or 10mm

Sizes	Part Code
0.85m x 1.5m	HK192
1.15m x 1.75m	HK193
Special size	

FLOOR LEVEL BRANDING





**Professional design and
installation service available
– ask for details**

Plan.a

The most durable entrance matting solution

Versatile system can be configured to any facility's needs. Robust aluminium for heavy-duty use. Flexible PVC linking joints for ease of handling/fitting. Three surface options available – 20mm strip inserts of either carpet, scrapers or brushes. Choose from one, or a combination of surface options. Custom-made to order in the UK. Product Height: 10mm or 17mm



NEW
**Vibrant Precision carpet
inserts now available**

Alba - Premium Nylon Carpet




Anthracite



Blue



Grey



Brown

Needlepunch - Polypropylene Carpet



Charcoal



Grey

PVC Scrapers/Brushes - Suitable for External/Zone 1



PVC Scraper



Nylon Brush

Finishing Accessories



Ramped Edging
for Low Profile



T Profile



Frame Profile for
Recessed Wells



Aluminium
Finishing Profile



T Profile for
Low Profile



Expansion Strip



The Project

The Bridgewater Hall is Manchester's internationally acclaimed concert venue which hosts over 250 musical performances a year, spanning a wide range of musical genres including classical music, rock pop and jazz.

Now 22 years old, the time had come to replace the floor matting to three of its entrance areas. The House Manager turned to the venue's Jangro Janitorial Supplier, Cutler Cleaning Supplies, for a solution. Cutlers then called upon their approved Flooring & Matting Contractors: COBA Flooring.

Cutlers' team, in conjunction with COBA, carried out several site visits and was instrumental in providing technical support and advice, along with Jangro's customer service teams. The dimensions of the three entrance areas were measured and the matting was custom-made to order. COBA, the manufacturer, then carried out the installation of the 'Plan.a' mat system.

One of the main challenges of the installation was a tight timescale – the matting had to be installed swiftly to ensure completion before the evening performance. The installation involved removing the old matting and carrying out some sub-floor preparation to ensure the surface area was level.

The Client's Reaction


"The Cutler/COBA teams had a very restricted time to fit the entrance matting in three different locations, so the pressure was immense but still both teams managed to deliver on time and with great precision." says Armelle Rainjonneau, House Manager – The Bridgewater Hall. "They worked together as a very good team - professional, conscientious, attentive and reactive to our business needs."

Supplied by:	Cutler Cleaning Supplies
Contractor:	Manufactured and installed by COBA Flooring
Project:	The Bridgewater Hall
Location:	Manchester
Products:	Plan.a




Supply and Install

How our supply and install service works



Why Use Our Supply and Install Service?

- Peace of mind that the right product has been chosen first time.
- GRP and entrance matting installation by trained professionals to a high standard – they know the products inside out!
- We're able to offer fast installs and turnaround times when you need it.
- We are a Construction line / CSCS Registered / Safe Contractor Company



Plan.b

High-quality, stylish brush system for dirt control


A combination of durable nylon brushes embedded in flexible 100% recycled PVC strips. Strips are linked via flexible, stainless steel wires. Brushes remove soil, grit and debris by 'brushing' the contour of shoes. Install in recessed matwells or lay to surface with optional edging. Suitable for indoor and outdoor use. Custom-made to order with a choice of 13 colour-ways and bespoke logo options. Production techniques allow for matting with curves, diagonals and angles. Product Height: 22mm



Plan.c

Reversible aluminium entrance matting lasts twice as long

Closed surface allows dirt to easily be removed daily. A robust aluminium system for high traffic entrances. Two surface options: Rubber profiles with nylon filaments. Rubber scraper profiles. Assembled in modules for easier transportation and installation. Profiles are connected via heavy-duty steel wire. Suitable for indoor use. Custom-made to order. Product Height: 18mm



Plan.e


Robust aluminium entrance matting with low profile

Durable linking joints for ease of handling/fitting. Suitable for high volume footfall in commercial locations. Available with most standard carpet insert options. Custom-made to order. Product Height: 12mm


Alba - Premium Nylon Carpet



Needlepunch - Polypropylene Carpet



PVC Scrapers/Brushes - Suitable for External/Zone 1



Modular Tile Systems



Premier Track Premium 'easy-fit' system for quick installation.

Tiles supplied boxed - simply interlocked in to place. Heavy-duty tiles can withstand high traffic levels. Ideal for recessed entrance wells. Crush-resistant nylon carpet insert effectively scrapes dirt and wipes moisture. Suitable for use with wheeled trolleys. Safe for high heeled footwear. Move, clean or replace individual tiles with ease. Product Height: 16mm



Anthracite



Brown



Blue



Grey

Sizes	Surface	Anthracite	Blue
29cm x 44cm	Open	HK481-BA	HK481-BBL
29cm x 44cm	Closed	HK483-BA	HK483-BBL

Sizes	Surface	Brown	Grey
29cm x 44cm	Open	HK481-BBR	HK481-BGY
29cm x 44cm	Closed	HK483-BBR	HK483-BGY



Premier Plus Midweight 'easy-fit' matting system for quick installation.


Tiles supplied boxed - simply interlocked in to place. Quality needlepunch carpet insert effectively scrapes dirt and wipes moisture. Ideal for recessed entrance wells. Links together to cover all floor sizes – indoor use. Move, clean or replace individual tiles with ease. Flexible - easily cut to shape. Product Height: 18mm




Sizes	Surface	Charcoal	Grey
29cm x 44cm	Open	HK471-CH	HK471-GY
29cm x 44cm	Closed	HK472-CH	HK472-GY



Charcoal



Grey



Premier Rib The perfect anti-slip scraper to accompany premier plus or premier track

Ideal for use at the point of entry before the other Premier tiles in order to remove moisture and debris from footwear. Ribbed rubber inserts ensure reduced risk of slipping. Easy to install, clean and maintain. Links directly with Premier Plus & Premier Track tiles. Product Height: 12mm

Sizes	Surface	Black
29cm x 44cm	Open	HK476-B
29cm x 44cm	Closed	HK477-B

**NO MATWELL?
NO PROBLEM.**



Premier Surface

Entrance matting that can be fitted on top of existing floor surface.

No need for a matwell - required by most matting systems. Interlocking tiles make covering a large area easy work. Solid surface tiles effectively capture dirt to protect interior floors. Hardwearing nylon carpet inserts scrape dirt and wipe moisture. PVC base tile is manufactured from 100% recycled materials. Suitable for high volume footfall in commercial locations. Optional 'impact-resistant' bevelled edges and corners and T-pieces withstand heavy shopping trolleys. Co-ordinating Alba carpet can also be supplied in rolls for primary and secondary dirt barrier use. Co-ordinating Alba carpet can also be supplied in rolls for primary and secondary dirt barrier use. Product Height: 12mm



Anthracite



Blue



Brown



Grey

Size	Anthracite	Blue	Brown	Grey
30cm x 30cm	HK479-AN	HK479-B	HK479-BR	HK479-GY
Edging		Black		
Edging: 78mm x 2.0m lengths		HK480		
Corners: 100mm x 100mm		HK478		

Treadwell

Save time on installation with an easy to fit tile format

Effective scraping mat made from recycled tyres. Suitable for installation in recessed matwells. Looks stylish when laid in uniform or parquet. Pattern complements an array of interiors. Product Height: 10mm

Size	Natural
305mm x 305mm (Pack of 10)	HK076



Aluminium-Look & Designer Matting



PathMaster Alu


Budget-conscious entrance matting featuring premium appearance aluminium

Needlepunch carpet with aluminium inserts effectively scrapes and traps dirt and moisture. Supplied on flexible rolls of up to 10m lengths in 2m widths – simply butt tightly together for desired width. Install in recessed wells or glue to the floor surface with optional bevelled edging. Cut to size and shape, on site if necessary, using a hand grinder or jigsaw. Product Height: 10mm


Sizes	Charcoal	Grey
2m x 10m	HK467-CH	HK467-GY
2m x per linear metre (max. 10m)	HK468-CH	HK468-GY

Colour Options

(Delivery 5 working days)



Charcoal



Grey



Beige



Brown

Colour Options

(Delivery 15 working days)



PathMaster Duo

Entrance matting on a roll is easy to lay

Stylish stripe pattern makes a feature of the entrance. Solid surface prevents debris falling through, that can then be easily cleaned off. Supplied on flexible rolls of up to 20m lengths in 2m widths – simply butt tightly together for desired width. Install in recessed wells or glue to the floor surface with optional bevelled edging. Anti-slip latex backing. Product Height: 13mm

Sizes	Anthracite	Grey
2m x 20m	HK469-AN	HK469-GY
2m x per linear metre (max. 20m)	HK470-AN	HK470-GY

Colour Options




Anthracite



Grey

LOOKING FOR A BUDGET ALTERNATIVE TO ALUMINIUM?





PathMaster³

Reduce cleaning costs in style with this designer entrance mat

Versatile - can be laid straight or in parquet. Easier to transport than matting on a roll. Easy to install - just lay into place on the subfloor using a tackifier or adhesive. You only need to cut the last row of tiles. Solid surface prevents dirt from falling through the mat, making cleaning a quick task. Potentially less wastage when compared with cutting from a roll. Replace individual tiles if they become damaged - not the whole matting area. Product Height: 13mm

Size	Anthracite	Grey
45cm x 45cm	HK465-AN	HK465-GY
Size	Anthracite/Grey	
23.5cm x 75cm	HK466-AN	

Colour Options



Bespoke Logo Matting



BESPOKE LOGO MATTING




Precision Nib

Premium logo mats are hand finished in the UK

High quality rugged matting material available in stunning colourways. Solution dyed polypropylene fibres for unbeatable resistance to wear, UV and staining. Ideal for recreating logos – choose from the 18 colours to recreate your design. Heavy weight pile and large nib design provides outstanding scrubbing action. Needle punch construction provides optimal crush resistance. Edges will not unravel or fray. Low installation cost. Product Height: 11mm +/- 10%

Size	Black	Charcoal	Light Grey	Wine Red	Red
2m x 23m	HK570-BK	HK570-CH	HK570-GY	HK570-WR	HK570-R
2m x per linear metre	HK571-BK	HK571-CH	HK571-GY	HK571-WR	HK571-R
Size	Light Beige	Golden Beige	Orange	Dark Brown	Dark Green
2m x 23m	HK570-LB	HK570-GB	HK570-O	HK570-BR	HK570-DG
2m x per linear metre	HK571-LB	HK571-GB	HK571-O	HK571-BR	HK571-DG
Size	Apple Green	Navy Blue	Sky Blue	Baby Blue	Yellow
2m x 23m	HK570-AG	HK570-NB	HK570-SB	HK570-BB	HK570-Y
2m x per linear metre	HK571-AG	HK571-NB	HK571-SB	HK571-BB	HK571-Y
Size	Purple	Pink	White		
2m x 23m	HK570-P	HK570-PK	HK570-W		
2m x per linear metre	HK571-P	HK571-PK	HK571-W		

Colour Options



Precision Loop

A popular material to produce inlay logomats with a smooth surface. Solution dyed polypropylene fibres for unbeatable resistance to wear, UV and staining. Ideal for use in logomat designs choose from 15 colours to recreate your design. Heavy weight pile provides outstanding absorbing and wiping action. Needlefelt construction provides good crush resistance. Edges will not unravel or fray. Logomats made in Britain. Low installation cost.

Colour Options



Size	Black	Dark Grey	Charcoal	Light Grey	Wine Red
2m x 23m	HK091-BK	HK091-DGY	HK091-CH	HK091-GY	HK091-WR
2m x per linear metre	HK092-BK	HK092-DGY	HK092-CH	HK092-GY	HK092-WR
Size	Red	Light Brown	Orange	Dark Brown	Dark Green
2m x 23m	HK091-R	HK091-BR	HK091-O	HK091-DBR	HK091-G
2m x per linear metre	HK092-R	HK092-BR	HK092-O	HK092-DBR	HK092-G
Size	Apple Green	Blue	Sky Blue	Yellow	White
2m x 23m	HK091-AG	HK091-B	HK091-SB	HK091-Y	HK091-W
2m x per linear metre	HK092-AG	HK092-B	HK092-SB	HK092-Y	HK092-W

Alba

Premium carpet entrance matting on a roll

Exceptionally durable nylon carpet. Ideal for high volume entrance areas, such as walkways and corridors. Nylon pile is highly absorbent and also withstands crushing. An effective way to protect interior floor surfaces. Available with optional edging depending on the requirements of the application. Suitable for glue down, wall to wall, or floor surface applications. Can be used as part of a two step system in heavy traffic environments. Product Height: 9.2mm

Sizes	Anthracite	Blue	Brown	Grey
2m x per linear metre	HK251-AN	HK251-B	HK251-BR	HK251-GY

Needlepunch

Versatile dirt scraper carpet available in long runs

Textured polypropylene fibres provide outstanding scraper action. Popular for both interior walkways and reception areas providing a total dirt-barrier solution. Also frequently used in recessed matwells in entrance areas. Available with optional edging. Suitable for glue down, wall to wall, or lay to surface applications. Product Height: 10.8mm

Sizes	Charcoal	Grey
2m x per linear metre (max 21m)	HK248-CH	HK248-GY
2m x 21m	HK247-CH	HK247-GY

Entrance Carpet by the roll



Alba



Anthracite



Blue



Brown



Grey

Needlepunch



Charcoal



Grey



SIMPLE ECONOMICAL MATTING

Toughrib Diagonal

Heavy-duty diagonally ribbed matting

Premium quality, heavy-duty entrance matting featuring attractive diagonal ribbed design. Supplied in rolls of up to 25m or in cut linear metre lengths. 100% solution dyed UV stabilised polypropylene fibres for rigorous scraping performance. Features a robust duo rubber backing. Product Height: 8.2mm

Sizes	Charcoal	Dark Blue	Grey
2m x 25m roll	HK074-CH	HK074-B	HK074-GY
2m x per linear metre	HK075-CH	HK075-B	HK075-GY



Charcoal



Dark Blue



Grey

Toughrib Contract

Ribbed entrance matting on a roll

A popular choice for fast refurbishment. Ribbed surface not only looks smart, but is designed to scrape dirt and wipe moisture. Debris and moisture is captured in the ridges and easily vacuumed. 100% polypropylene pile is durable and suitable for heavy-duty use. Primary (latex) and secondary (gel foam) backing. Can be used in recessed matwells or on pedestrian walkways. Product Height: 7.5mm ± 10%

Sizes	Charcoal	Blue	Brown	Grey
2m x 30m roll	HK072-CH	HK072-B	HK072-BR	HK072-GY
2m x per linear metre	HK073-CH	HK073-B	HK073-BR	HK073-GY



Charcoal



Blue



Brown



Grey

Flooring

External and internal floor coverings

Flooring not only performs the job of providing a safe walking surface in and around facilities but are an important aesthetic feature of any building. Slip and trip accidents are still the biggest cause of workplace injury, and in an increasingly litigious society it's important to ensure floors are designed to reduce risk factors wherever possible.

Our COBAGRiP® range of GRP sheets and accessories has been assembled to offer facilities managers easy to understand solutions for most outside walkways, including steps and stairs. They offer extremely good non-slip properties even in wet weather, which is why they are also popular with Local Councils. Our collection of PVC and rubber floor tiles then provide quick and cost-effective flooring options for refurb projects.

**KEEP
WALKWAYS
SAFE**

COBAGRiP® Sheet

Reduce the danger posed by rain, snow and ice in external areas

Available in a range of colours to meet all DDA requirements. Suitable for external walkways, ramps and platforms. Ideal for refurbishment - simply bond or screw to the existing floor surface. Colour options: black, grey and yellow. Product Height: 5mm

Sizes	Black	Grey	Yellow
1.2m x 2.4m	HK054-BK	HK054-GY	HK054-Y
1.2m x 1.2m	HK056-BK	HK056-GY	HK056-Y
0.8m x 1.2m	HK058-BK	HK058-GY	HK058-Y

COBAGRiP® Light

Reduce the risk of slips on uneven surfaces

Ideal for use on undulating surfaces. A lighter sheet for weight sensitive areas e.g. bridges and walkways. Product Height: 2.4mm

Sizes	Black	Grey	Yellow
1.2m x 2.4m	HK055-BK	HK055-GY	HK055-Y
1.2m x 1.2m	HK057-BK	HK057-GY	-
0.8m x 1.2m	HK059-BK	HK059-GY	-



IDEAL FOR STAIR MAINTENANCE



COBAGRiP® Stair Tread

Easily applied to existing stairs to reduce slip risk

Designed to fully cover the stair area. 55mm x 55mm contrasting coloured nosing meeting DDA requirements. Can be used in conjunction with COBAGRiP Sheet. Product Height: 5mm

Sizes	Black/Yellow	Black/White
3m x 345mm x 55mm	HK060-BY	HK060-BW
2m x 345mm x 55mm	HK061-BY	HK061-BW
1.5m x 345mm x 55mm	HK062-BY	HK062-BW
1m x 345mm x 55mm	HK063-BY	HK063-BW





Non-Slip Floor Coverings

SAFE WALKING



GripGuard

Economical anti-slip floor covering for use outdoors

Mineral coated matting provides a 'super-grip' standing surface. Effectively reduces the risk of slipping in wet conditions. Low profile design sits almost flush to the floor surface reducing trip accidents. Easy to install and clean. Anti-skid backing holds the mat firmly in position. Product Height: 2.25 ± 0.2mm


Sizes	Black
0.9m x 6m	HK094
0.9m x per linear metre	HK095
0.9m x 1.5m	HK093

COBAGRIp® Stair Nosing

A simple fix to stair edges to reduce slip risk

Suitable for use on existing or new-build steps. Manufactured with chamfered back edge for additional safety. Bright colour for visibility meeting DDA requirements. Product Height: 5mm

Sizes	Yellow
3m x 55mm x 55mm	HK064-Y
2m x 55mm x 55mm	HK065-Y
1.5m x 55mm x 55mm	HK066-Y
1m x 55mm x 55mm	HK067-Y



COBARib

Protect floor and counter surfaces

Durable hardwearing natural rubber. Ribbed surface has effective slip-resistance. Provides insulation from cold concrete floors. Has some noise insulation properties. Available in both fine and wide options. Product Height: 3mm or 6mm

Sizes	Standard		Wide	
	3mm	6mm	3mm	6mm
0.9m x 10m	HK484	HK492	HK486	HK494
0.9m x per linear metre	HK485	HK493	HK487	HK495
1.2m x 10m	HK488	HK496	HK490	HK498
1.2m x per linear metre	HK489	HK497	HK491	HK499

Interlocking Floor Tiles

**IDEAL FOR FLOOR
REFURBISHMENT**

Tough-Lock

A smart solution for floor refurbishment

Interlocking tile manufactured from resilient PVC. Available in two finishes – Studded and Textured. Effective for refurbishing floors, such as covering damaged surfaces. Suitable for heavy and light industrial use, as well as commercial locations. Can withstand the weight of most forklift trucks. Tile system simply interlocks for easy installation. Available in Anti-Static and ESD versions on request. Bevelled edging available. Product Height: 5mm or 7mm



Studded Tile	Black	Grey	Blue	Red	Green	Yellow
0.5m x 0.5m x 7mm	HK618-BK	HK618-GY	HK618-B	HK618-R	HK618-G	HK618-Y



Textured Tile	Black	Grey	Blue	Red	Green	Yellow
0.5m x 0.5m x 5mm	HK620-BK	HK620-GY	-	HK620-R	HK620-G	-
Textured Tile	Black	Grey	Blue	Red	Green	Yellow
0.5m x 0.5m x 7mm	HK619-BK	HK619-GY	HK619-B	HK619-R	HK619-G	HK619-Y



Tough-Lock Eco

100% Recycled economical floor covering

Smart interlocking tile manufactured from 100% recycled PVC. Studded surface design. Effective for refurbishing floors, such as covering damaged surfaces. Suitable for heavy and light industrial use, as well as commercial locations. Can withstand the weight of most forklift trucks. Tile system simply interlocks for easy installation. Bevelled edging available. Product Height: 5mm


Tile Size (pack of 4)	Black
500mm x 500mm	HK617

Edging (pack of 4)	Black
Bevelled Edge 515mm x 80mm x 5mm	HK616
Bevelled Corner Edge 515mm x 80mm x 5mm	HK615

Studded Tile

Classic floor tile design

Hardwearing natural/synthetic rubber floor tile with studded design. Popular for many commercial environments. Raised studs provide some slip-resistance underfoot. Free from PVC, Plasticizers and Formaldehyde. Applied by adhesion to the floor. Product Height: 2.5mm +/- 0.2mm



Tile Size	Black	Light Grey	Dark Grey	Blue	Oyster White
485mm x 485mm (+/- 1mm)	HK595-BK	HK595-LG	HK595-GY	HK595-B	HK595-W

Floor Level Safety Accessories

Floor Tape and Paint for site demarcation

Personal safety is no more important than when navigating a site on foot, especially to someone less familiar with a building's layout. Clearly visible floor markings and barriers help raise protection in all areas, but especially safety-sensitive areas such as warehouses or where vehicles such as forklifts are in use. Our range of high quality tapes and paints are ideal for the conscientious facilities manager looking to reduce the risk of accidents.

Gripfoot

Grit tape, cleats and tiles for slip-resistance

Abrasive grit 'anti-slip' products with self-adhesive backing available in tapes, cleats and tiles. Provides additional grip underfoot on smooth surfaces. Hardwearing and easy to install. Gripfoot Tape – versatile for floor surfaces, machinery and vehicles. Gripfoot Cleats (rectangular) are designed for use on steps and stairs. Gripfoot Tiles (square) are ideal for increasing safety on smooth, tiled floors. Hazard version (tape only) in yellow/black provides high visibility in darkness or low light conditions. Red/White hazard option also available. Conforms to Slip Resistance Test EN 13552 Category R13

Tapes	Black
25mm x 18.3m	HK560-BK
50mm x 18.3m	HK561-BK
102mm x 18.3m	HK562-BK
152mm x 18.3m	HK563-BK
Tiles	Black
140mm x 140mm	HK564-BK
Cleats	Black
152mm x 610mm	HK565-BK


Gripfoot Conformable

Reduce slips on steps and walkways with easy to apply tape

Abrasive grit non-slip tape with self-adhesive backing. Easy for anyone to install. Hardwearing, providing a long lifespan. Tape is ideal for floors, ramps, machinery and vehicles. Cleats (rectangular) are designed for use on steps and stairs. Tiles (square) are ideal for increasing safety on smooth, tiled floors. Hazard version (tape only) in yellow/black provides high visibility in darkness or low light conditions. Red/White hazard option also available. Product Height: 0.75mm ± 0.05mm

Sizes	Black
50mm x 18.3m	HK561-C
102mm x 18.3m	HK562-C
152mm x 18.3m	HK563-C
140mm x 140mm	HK564-C
152mm x 610mm	HK565-C

REDUCE SLIPS ON STEPS AND STAIRS



Tapes	Black	Blue	Yellow	Red	Green	Clear
50mm x 18.3m	HK561-BK	HK561-B	HK561-Y	HK561-R	HK561-G	HK561-CL



Tapes	Black/Yellow	Red/White
50mm x 18.3m	HK561-BY	HK561-RW



Floor Tapes

	Aisleways & Traffic lanes.
	Production or racks, machines, benches and other equipment that does not fall under any other colour guidelines.
	Locations where defective products, scrap materials, or items in the facility that need to be reworked are stored.
	Materials & manufacturing: Finished goods.
	Materials & manufacturing: Raw Materials.
	Materials & manufacturing: Work in progress.
	Areas which represent physical or health risks to employees. Indicates extra caution is to be exercised.
	Areas to be kept clear for safety reasons (around emergency access points, electrical panels, fire fighting equipment).
	Safety Hazard & First Aid.



**QUICK AND COST
EFFECTIVE DEMARCATION**

COBATape

Ideal for any large floor areas where pedestrian safety is important.

Mark out areas easily and effectively Self-adhesive backing allows for easy application. White tape ideal for sports courts. Plain and striped options to follow colour standards.

						
Size	Yellow	White	Red	Green	Blue	Black
50mm x 33m	HK261-Y	HK261-W	HK261-R	HK261-G	HK261-B	HK261-BK

			
Hazard	Black/Yellow	White/Red	White/Green
50mm x 33m	HK261-BY	HK261-WR	HK261-WG



Barrier Tape

Non-adhesive tape to cordon off areas

Strong non-adhesive tape can be quickly deployed but lasts. Widely used by the construction industry for temporary barriers. High contrasting stripes offer a clear visual warning.

Roll Size	Red/White
76.2mm x 500m	HK630





Line Marking Paint

Line Marking Paint

Long-lasting permanent line paint

Designed for the line marking traffic in car parks, sports courts, schools, and inside facilities. Hardwearing permanent line marking paint. Fast-drying in a choice of colours. Suitable for use on concrete, tarmac and composites. Internal and external use – CFC free aerosol.

Permanent	Black	Blue	Red	Green	Grey	Yellow	White	Orange
750ml (6 pack)	HK702-BK	HK702-B	HK702-R	HK702-G	HK702-GY	HK702-Y	HK702-W	HK702-O

Temporary Line Marking Paint

Aerosol paint that gradually fades away

Temporary line marking paint which can be removed with water and a brush. Rapid touch dry in 5 minutes. Paint gradually weathers away in 4-6 weeks.

Temporary	Black	Blue	Red	Green	Grey	Yellow	White	Orange
750ml (6 pack)	HK703-BK	HK703-B	HK703-R	HK703-G	HK703-GY	HK703-Y	HK703-W	HK703-O

Survey Paint

Weather-resistant, quick drying

Survey Paint can last up to 3 months. Weather-resistant. Touch dry in 5 minutes.

Survey	Black	Blue	Red	Green	Grey	Yellow	White	Orange
750ml (6 pack)	HK704-BK	HK704-B	HK704-R	HK704-G	HK704-GY	HK704-Y	HK704-W	HK704-O



**PERMANENT AND
TEMPORARY OPTIONS**

Paint Applicator

Allows fast, accurate application of all types of aerosol paint. Handheld and wheeled versions available. Wheeled applicator available in a two can version for extra capacity.

Applicators	Part Code
Handheld Applicator	HK700
4 Wheel Applicator	HK701



Electrical Safety

Mats and accessories for use around electricity



Trailing cables regularly pose a risk in most buildings, but it's normally too late when they're identified as a trip hazard. Our range of cable protectors not only prevent damage to the cable and its contents but highlight the hazard to pedestrians and greatly reduce the risk of tripping. Switchboards and other high voltage areas present one of the biggest risks in any building. Properly insulating workers in such conditions is not only a legal requirement, but common sense.

**REDUCE TRIP
HAZARDS**

GP1



GP1 Safety



CablePro GP

Reduce the risk of trips from trailing cables


A general purpose hole design designed to accommodate several cables. Available in practical 3m or 9m lengths - can be cut down as required. Quick and easy for anyone to install. Durable material can easily withstand pedestrian and wheeled traffic. Protect cables and wires from being pulled or crushed causing costly damage. Hazard strip version for increased visibility in darker environments.

Part	Colour	3m	9m
GP1	Black	HK462-BK	HK460-BK
GP1 Safety	Black/Yellow	HK462-BY	HK460-BY
GP2	Black	HK463-BK	HK461-BK
GP2 Safety	Black/Yellow	HK463-BY	HK461-BY

GP2



GP2 Safety





CablePro Data


Reduce the risk of trips from trailing data cables

Multiple channels for telephone, power or ethernet cables. Ideal for keeping multiple cable types separated. Seam in base for snapping in cables. Cuts with a knife, so can be customised to suit and exact distance.

Data1



Data2



Cable Protectors





Part	Colour	3m	9m
Data1	Black	HK458	HK456
Data2	Black	HK459	HK457

CablePro HD



Mitigate the risk of trips caused by large cable hazards

Two heavy duty options for areas with heavy traffic or larger cables. Tough ramped edges keep cables protected from wheeled traffic. 23mm diameter channels accommodate larger cables.

HD1



HD2



Part	Colour	3m	4.5m	9m
HD1	Black	HK454	-	HK452
HD2	Black	-	HK455	HK453

CablePro Mat

Mat designed to be laid over cables to reduce trip hazard

Special mat for protection from tripping hazards due to loose cables lying around. Extremely durable nylon surface in dappled colour shades. Cleated non-slip backing made from durable nitrile rubber with integrated cable run. Edge in hazard stripe. Light-resistant and suitable for underfloor heating. Anti-static.

Size	Part Code
0.4m x 1.2m	HK464



Switchboard Matting



HIGH VOLTAGE AREAS



COBASwitch

Insulate personnel from electric shock

Purpose-designed switchboard matting Provides safety for operatives against electrical shocks. For use in front of switchboards and high voltage equipment. Slip-resistant fine fluted surface. 6mm tested to 11,000 volts for 450 volt rated working. 9mm tested to 15,000 volts for 650 volt rated working. 9mm conforms to BS921/1976.

Sizes	6mm	9.5mm
0.9m x 10m	HK575	HK579
0.9m x per linear metre	HK576	HK580
1.2m x 10m	HK577	HK581
1.2m x per linear metre	HK578	HK582

COBASwitch VDE

Electrical switchboard matting

Lightweight mat designed for use in front of open switchboards and high voltage equipment. Provides safety for operatives against electric shock. Fine fluted surface has slip-resistance benefits. 4.5mm x 10m rolls - VDE approved. Tested to 50,000 volts according to DIN EN60243-1 (VDE0303 part 21) IEC 60243-2:1996.

Sizes	Grey
1m x 10m	HK573
1m x per linear metre	HK574



COBASwitch BS EN: 61111

Protect personnel from electric shock to latest standards

Electrical insulating matting that conforms to BS EN 61111:2009. Provides safety for operatives against electrical shocks. Ideal for use in front of switchboards and high voltage equipment. Ribbed surface offers traction underfoot. Resistant to acid, oil, and low temperatures. Manufactured with colour coded tape to depict the classification on the reverse of the matting.



Sizes	Part Code
1m x 10m x 3mm	HK583
1m x per linear metre x 3mm	HK584
1m x 10m x 4mm	HK585
1m x per linear metre x 4mm	HK586
1m x 10m x 5mm	HK587
1m x per linear metre x 5mm	HK588

Thickness	Tested to	Working Voltage	Withstand Tested To
3mm	BS EN 61111:2009 Class 0	1KV	10KV
4mm	BS EN 61111:2009 Class 2	17KV	30KV
5mm	BS EN 61111:2009 Class 4	36KV	50KV

Standing Fatigue in the Workplace

Pain and discomfort is debilitating and inevitably leads to fatigue, and when individuals become tired reactions can become slower. Many employees in manufacturing, construction, hospitality, other service professions have to stand in tiring positions. Over 45% of European workers complain of this.

Tiredness can lead to other types of accidents in the workplace, and in the most serious cases, even fatalities. Fatigue can also lead to stress and affect the immune system, taking its toll on overall health. That is why taking measures to alleviate, even prevent, tiredness and more extreme fatigue is so critical to reducing the risks of accidents in the workplace.

MSD Facts

Musculoskeletal disorders (MSDs) are injuries or conditions affecting the movement of the human body and the most common occupational disease in the European Union. **Over 40 million workers** in Europe are affected by MSDs attributable to their work, costing some **240 billion euros per year** in lost productivity.* EU member states are set to see **50%** of their population diagnosed with an MSD by 2030.**

Market Research

In June 2015 matting manufacturer Jangro conducted market research into the effects of standing in the workplace.

75% found anti-fatigue matting to have had a positive effect on the wellbeing of staff.

Of those who had invested in anti-fatigue matting as a solution, 75% found anti-fatigue matting to have had a positive effect on the wellbeing of staff on the well-being of staff; 54% found anti-fatigue matting had helped to reduce pain or serious health complaints of staff; and 44% considered anti-fatigue matting to have a positive effect on increasing productivity in their company. Some 23% confirmed that absenteeism had been reduced as a result of anti-fatigue floor matting.

The Benefits of Anti-Fatigue Matting

Reduces headaches

By easing tension in your shoulders and neck.

Reduces stiffness

By encouraging regular muscle movement and posture changes.

Encourage circulation

By frequent lower muscle movement.

Combats lower back pain

By reducing pressure on the spine, and strain on the back muscles.

Lowens the change of slips


When the mat has a slip resistant surface.

Insulates against cold concrete floors

Which can give the sensation of being colder.

Reduces arch and heel pain

Often caused by flattening of the feet.



(* Source: European Agency for Safety and Health at Work.)
(** Source: Fit for Work Europe Coalition, The Work Foundation.)

Personal Anti-Fatigue Mats



Anti-Fatigue Rating



Wear Rating



Slip Rating



Suitable for Wet Environments



Suitable for Oily Environments



Fire Tested



Suitable for High Voltage Environments



Static Dissipative



Orthomat® Office

The new standard in standing at work

Made from high-density foam to provide the right balance between cushioning and support. Ideal for users of standing desks. Helps to delay the onset of pain and tiredness otherwise experienced from standing on hard or firm floor surfaces. Features a textured underside and gentle bevelled edges to reduce trip hazards, while creating a neat 'anti-curl' finish that sits flush to the floor. Made from Polyurethane, a resilient material renowned for its durability. Handy size for ease of handling making lifting and moving an effortless task. Fits into most office workstations. Product Height: 16mm



Size

0.5m x 0.8m

Black

HK447



Orthomat® Lite

Light duty foam standing mat for workstations

Cost-effective anti-fatigue matting. Offers the user relief from fatigue caused by standing. Insulates against cold concrete floors. Ideal for light to medium use in dry environments. Pebble surface provides additional traction. Product Height: 6mm



Orthomat® Standard

Medium duty standing mat for workstations

Improve comfort and reduce fatigue for workers standing all day. Single layer foam suitable for most dry environments. Safety version available with bright yellow borders. Insulates against cold concrete floors. Product Height: 9mm



Sizes

	Black
0.9m x 36.5m x 6mm	HK423
0.9m x 6mm x per linear metre	HK424
0.9m x 1.5m x 6mm	HK425
0.9m x 2m x 6mm	HK426
0.9m x 3m x 6mm	HK427
0.9m x 1.82m x 6mm	HK428
0.9m x 0.76m x 6mm	HK429

Sizes

	Black	Grey	Black/ Yellow
0.6m x 0.9m	HK409-BK	HK409-GY	HK409-BY
0.9m x 1.5m	HK410-BK	HK410-GY	HK410-BY
0.9m x 18.3m	HK411-BK	HK411-GY	HK411-BY
0.9m x per linear metre	HK412-BK	HK412-GY	HK412-BY
1.2m x 18.3m	HK413-BK	-	-
1.2m x per linear metre	HK414-BK	-	HK414-BY



Orthomat® Dot

Single layer foam anti-fatigue workplace mat with dot pattern surface.

Ideal for light to medium use in dry environments. Safety version available with bright yellow borders. Insulates against cold concrete floors. Product Height: 9mm




Black



Black/Yellow

Sizes	Black	Black/Yellow
0.6m x 0.9m	HK403-BK	HK403-BY
0.9m x 1.5m	HK404-BK	HK404-BY
0.9m x 18.3m	HK405-BK	HK405-BY
0.9m x linear metre	HK406-BK	HK406-BY
1.2m x 18m	HK407-BK	HK407-BY
1.2m x linear metre	HK408-BK	HK408-BY



Orthomat® Ribbed

Reduce standing fatigue with this ribbed pattern standing mat

Ideal for catering or shop staff on their feet all day. Single layer anti-fatigue mat with ribbed surface. Ideal for light to medium use in dry environments. Safety version available with bright yellow borders. Insulates against cold concrete floors. Product Height: 9mm



Sizes	Black	Grey	Grey/Yellow
0.6m x 0.9m	HK415-BK	HK415-GY	HK415-GYE
0.9m x 1.5m	HK416-BK	HK416-GY	HK416-GYE
0.6m x 18.3m	HK421-BK	HK421-GY	-
0.6m x per linear metre	HK422-BK	HK422-GY	-
0.9m x 18.3m	HK417-BK	HK417-GY	HK417-GYE
0.9m x per linear metre	HK418-BK	HK418-GY	HK418-GYE
1.2m x 18.3m	HK419-BK	HK419-GY	HK419-GYE
1.2m x per linear metre	HK420-BK	HK420-GY	HK420-GYE



Orthomat® Diamond

Comfortable standing mat with diamond plate design

Foam anti-fatigue workplace mat suited to many working environments. Ideal for light to medium use in dry workspaces. Black/yellow version available with bright yellow borders. Insulates against cold concrete floors. Product Height: 9mm



Sizes	Black	Black/Yellow
0.6m x 0.9m	HK430-BK	HK430-BY
0.9m x 1.5m	HK431-BK	HK431-BY
0.9m x 18.3m	HK432-BK	HK432-BY
0.9m x linear metre	HK433-BK	HK433-BY
1.2m x 18m	HK434-BK	HK434-BY
1.2m x linear metre	HK435-BK	HK435-BY



Personal Anti-Fatigue Mats



Orthomat® Premium

An ideal mat for reception areas where workers move in a confined space

Dual layer construction for superior comfort and durability. Tough textured top surface for excellent resilience against wear and tear. Low density under layer provides extremely effective underfoot cushioning. Exceptional fatigue-relief properties – a real investment for the workplace. Tapered edges to reduce trip hazards. Range of colours available. Product Height: 12.5mm



Sizes	Black	Blue	Green
0.6m x 0.9m	HK438-BK	-	-
0.9m x 1.5m	HK439-BK	-	-
0.9m x 18.3m	HK440-BK	HK440-B	HK440-G
0.9m x per linear metre	HK441-BK	HK441-B	HK441-G
0.9m x 3.65m	HK442-BK	-	-
0.6m x 18.3m	HK443-BK	-	-
0.6m x per linear metre	HK444-BK	-	-
1.2m x 18.3m	HK445-BK	-	HK445-G
1.2m x per linear metre	HK446-BK	-	-



Black



Blue



Green



Marble Anti-Fatigue

Ideal mat for areas where appearance is important.

Marble design anti-fatigue matting suits many interiors. Plush foam backing for comfort. Popular for retail counter areas. Supplied with ramped edges as standard. Product Height: 12.5mm



Sizes	Black
0.6m x 0.9m	HK086
0.9m x 1.5m	HK087
0.9m x 3m	HK090
0.9m x per linear metre	HK089
0.9m x 18.3m	HK088

Orthomat® Ultimate

The ultimate comfort floor mat - designed for areas with moisture and/or oil

Outer layer encapsulates entire mat for extended durability - unlike standard laminated mats. Soft foam inner layer cushions impact from standing to delay fatigue. High density composition gives essential underfoot support and shape recovery. Neat, tapered edges are heat-sealed using specialist technology developed by Jangro. Robust ramped edges limit trip hazard. Product Height: 10mm



Sizes	Black
0.6m x 0.9m	HK448
0.9m x 1.5m	HK449
0.9m x 18.3m	HK450
0.9m x per linear metre (max. 18.3m)	HK451



COVER ANY SIZED AREA WITH A DURABLE COMFORTABLE SURFACE

Solid Fatigue-Step

Ultra-comfortable interlocking tiles

Interlocking solid surface tiles in two options:- Solid Fatigue-Step (a blend of natural rubber and nitrile) Solid Fatigue-Step Nitrile (100% nitrile) Nitrile option has excellent resistance to oils, chemicals and grease. Tiles link together to provide a very comfortable anti-fatigue surface. Can withstand temperatures of up to 160°C and spillage of molten glass. Individual tiles can be moved and replaced with ease. Optional bevelled edging in yellow or black. Product Height: Standard - 18mm. Nitrile - 16mm



Tile Size	Black	B1 Nitrile
0.9m x 0.9m	HK610	HK611



Fatigue-Step

Anti-slip floor tiles for moisture prone areas such as bars and kitchens

Interlocking open holed tiles in two options:- Fatigue-Step (for general use) Fatigue-Step Nitrile (for especially oily areas) Soft, yet resilient rubber floor tiles. Open holes allow efficient drainage of spilt liquids. Effective anti-fatigue properties for prolonged standing. Product Height: 18mm



Tile Size	Black	Nitrile
0.9m x 0.9m	HK600	HK605

Fatigue-Step Grit Top

Extra tough grit surface tiles for safety and comfort

Extremely robust interlocking tiles for heavy-duty use. Made from nitrile for excellent resistance to oils and chemicals. Carbide bonded 'grit' top surface provides exceptional grip even in oily conditions. Provides high levels of comfort underfoot to relieve fatigue. Open holes for efficient drainage of spilt liquids. Optional black or yellow bevelled edging. Product Height: 18mm



Tile Size	Black
0.9m x 0.9m	HK612



Fatigue-Step Edging	Black	Yellow
Female Corner Edge	HK601-BK	HK601-Y
Male Corner Edge	HK603-BK	HK603-Y
Female Corner Edge Nitrile	HK602-BK	HK602-Y
Male Corner Edge Nitrile	HK604-BK	HK604-Y

Mats for Catering & Hospitality

Rampmat

Economical anti-fatigue mat - ideal for bars and kitchens

Low cost but durable comfort mat for the workplace. Raised circular surface for slip resistance. Open drainage holes for spilt liquids. Made from hardwearing NBR rubber. Moulded bevelled edges reduce trip hazards. Product Height: 10mm



Sizes	Black
0.9m x 1.5m	HK041
0.8m x 1.2m	HK040



REDUCE SLIPS IN WET ENVIRONMENTS



HI010001

HI010002

HI010003

HI010004

HI010005

High-Duty

Heavy duty comfort mat with superior oil-resistance

Manufactured from a blend of natural SBR rubber and nitrile. Standard edged all round mats or interlocking modular sections. Provides both slip-resistance and fatigue-relief. Raised circular surface gives excellent underfoot grip. Spilt liquids drain through open drainage holes. A comfortable alternative to cold hard floors. Product Height: 12.5mm



Size	Type	Part Code
0.9m x 1.5m	Edged mat	HK081
0.9m x 1.5m	2 Long/1 Short	HK082
0.9m x 1.5m	Edged 2 Long	HK083
0.9m x 1.5m	2 short/1 long	HK084
0.9m x 1.5m	Edged 2 Short	HK085



IMPROVE COMFORT AND HYGIENE

K-Mat

Reduce slip hazards on greasy floors

100% nitrile mat is super durable. Excellent resistance to grease, oils, fats and detergents. Easily cleaned in a commercial washing machine for easy maintenance. Ideal for food processing/manufacturing areas. 'Cross-grip' surface for exceptional slip-resistance. Open holes for efficient drainage. Hygienic anti-microbial properties. Product Height: 9mm



Size	Part Code
0.85m x 1.5m	HK227



Leisure Mat

The original PVC safety matting for leisure

Premium quality PVC leisure matting. PVC does not support the growth of bacteria. Designed to reduce the risk of slipping. Popular for pools and changing areas. Interwoven design for drainage. Safety bevelled edging as standard. Conforms to Slip Resistance Test DIN51097 Category B. Product Height: 12mm

Sizes	Blue	Red	Green
0.6m x 1.2m	HK245-B	HK245-R	HK245-G
1m x 1.5m	HK246-B	HK246-R	HK246-G



Blue



Red



Green




Diamond Grid Leisure

Flexible PVC matting for wet leisure areas

Open diamond grid pattern for non-slip surface. Anti-slip top surface for a safe footing in wet conditions. Specially designed underside studs have exceptional water drainage properties. Easily cleaned, rolled up and moved. Product Height: 8.5mm

Sizes	Blue	Grey
1m x 4.8m	HK436-B	HK436-GY
1m x 9m	HK437-B	HK437-GY



Blue



Grey



Flexi-Deck

Ideal for shower rooms and swimming pool walkways

Flexible, hygienic PVC floor tile. Reduces slipping on wet surfaces. Textured top surface. Comfortable to walk on barefoot. Holes provide efficient drainage of water. Underside studs enhance drainage. Easy to roll up, clean and relocate. Product Height: 13mm



Blue



Red



Green



Grey



Sizes	Black	Blue	Red	Green	Grey
Tile 30cm x 30cm (Pack of 9)	HK264-BK	HK264-B	HK264-R	HK264-G	HK264-GY
Female Edge (pack of 3)	HK265-BK	HK265-B	HK265-R	HK265-G	HK265-GY
Male Edge (pack of 3)	HK266-BK	HK266-B	HK266-R	HK266-G	HK266-GY
Corner (Pack of 4)	HK267-BK	HK267-B	HK267-R	HK267-G	HK267-GY

Facilities Management Flooring Solutions



Jangro

Think Professional