#### (ENVIROCHEM) ENVIROFORCE POWERFUL ACIDIC DESCALE

Page: 1

Compilation date: 16/03/2017

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name: (ENVIROCHEM) ENVIROFORCE POWERFUL ACIDIC DESCALE

Product code: 771909/771929

Synonyms: HC0460 / HYDRA

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: FOR PROFESSIONAL AND INDUSTRIAL USE ONLY. Water based acid liquid descaler.

### 1.3. Details of the supplier of the safety data sheet

#### Company name: HYDRACHEM

Email:	sds@hydrachem.co.uk
Fax:	+44 (0) 1403 785158
Tel:	+44 (0) 10403 787700
	United Kingdom
	RH14 9EZ
	West Sussex
	Billingshurst
	Natts Lane
	Gillmans Industrial Estate

## 1.4. Emergency telephone number

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

# 2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P260: Do not breathe vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

## (ENVIROCHEM) ENVIROFORCE POWERFUL ACIDIC DESCALE

contact lenses, if present and easy to do. Continue rinsing.
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
skin with water.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P501: Dispose of contents/container to licensed operator.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

## 3.2. Mixtures

## Hazardous ingredients:

## HYDROCHLORIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-595-7	-	-	Skin Corr. 1B: H314; STOT SE 3: H335	1-10%

## Non-classified ingredients:

## CITRIC ACID ANHYDROUS POWDER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
201-069-1	77-92-9	-	-	1-10%

## PRIMARY ALCOHOL ETHOXYLATE CD916

- 68439-45-2 -	Acute Tox. 4: H302; Eye Dam. 1: H318	<1%
----------------	--------------------------------------	-----

## Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash	
	immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist	
	examination.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to	
	drink immediately. Consult a doctor.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Move to fresh air	
	in case of accidental inhalation of vapours. Consult a doctor.	
4.2. Most important symptoms	and effects, both acute and delayed	
Skin contact:	There may be irritation and redness at the site of contact.	
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe pain.	
	The vision may become blurred. May cause permanent damage.	
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach pain	
	may occur.	[c

**Page:** 2

#### (ENVIROCHEM) ENVIROFORCE POWERFUL ACIDIC DESCALE

Page: 3

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

#### Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes. Water based product. Advice relates to dry residues after water has evaporated.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal

by an appropriate method. Wash the spillage site with large amounts of water.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

## (ENVIROCHEM) ENVIROFORCE POWERFUL ACIDIC DESCALE

Page: 4

7.3. Specific en	d use(s)				
Speci	ific end use(s):	No data av	vailable.		
Section 8: Expos	sure controls/	personal p	rotection		
8.1. Control par	ameters				
Hazardous in	gredients:				
HYDROCHLO	RIC ACID100	%			
Workplace ex	posure limits:			Respirable dust	
State	8 hour T	WA	15 min. STEL	8 hour TWA	15 min. STEL
UK		2 mg/m3	8 mg/m3	-	-
DNEL/PNEC Va	luco				
DNEL/FNEC Va					
	DNEL / PNEC	No data av	vailable.		
8.2. Exposure c	ontrols				
Engineer	ring measures:	Ensure the	ere is sufficient ventilation of	the area.	
Respirat	ory protection:	Self-contai	ned breathing apparatus mu	st be available in case of emerge	ency.
На	and protection:	Protective	gloves.		
E	Eye protection:	Ensure eye	e bath is to hand. Safety glas	sses.	
S	kin protection:	Protective	clothing.		
Section 9: Physic	cal and chemi	cal proper	ties		
9.1. Information	on basic physi	ical and che	emical properties		
	State:	Liquid			
	Colour:	Red			
	Odour:	Pungent			
Ev	aporation rate:	Slow			
Solu	ubility in water:	Highly solu	ıble		
	Viscosity:	Non-viscou	s		
Boiling	point/range°C:	90-100		Melting point/range°C	: 0
Flammability l	imits %: lower:	Not applica	able.	upper	: Not applicable.
	Flash point°C:	Not applica	able.	Part.coeff. n-octanol/water	: No data available.
Autof	lammability°C:	Not applica	able.	Vapour pressure	: Not applicable.
Re	elative density:	1.040		pH	: 1.0-1.5

VOC g/I: Not applicable.

9.2. Other information

Other information: No data available.

#### (ENVIROCHEM) ENVIROFORCE POWERFUL ACIDIC DESCALE

Page: 5

### Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

```
Decomposition may occur on exposure to conditions or materials listed below.
```

#### 10.4. Conditions to avoid

#### Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong reducing agents. Strong bases.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of hydrogen chloride / phosgene. Contact with metals may

produce highly flammable Hydrogen gas.

### Section 11: Toxicological information

## 11.1. Information on toxicological effects

### Hazardous ingredients:

### CITRIC ACID ANHYDROUS POWDER

ORL	MUS	LD50	5040	mg/kg
ORL	RAT	LD50	3	gm/kg
SCU	RAT	LD50	5500	mg/kg

#### PRIMARY ALCOHOL ETHOXYLATE CD916

IHL	RAT	LC50	>5	mg/l
ORL	RAT	LD50	200-2000	mg/kg
SKN	RAT	LD50	>2000	mg/kg

### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain.

The vision may become blurred. May cause permanent damage.

### (ENVIROCHEM) ENVIROFORCE POWERFUL ACIDIC DESCALE

Page: 6 Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Delayed / immediate effects: Immediate effects can be expected after short-term exposure. Section 12: Ecological information 12.1. Toxicity Hazardous ingredients: **PRIMARY ALCOHOL ETHOXYLATE CD916** FISH 96H LC50 1-10 mg/l Ecotoxicity values: No data available. 12.2. Persistence and degradability Persistence and degradability: Biodegradable in part only. The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Soluble in water.

12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

 Disposal operations:
 Transfer to a suitable container and arrange for collection by specialised disposal company.

 Recovery operations:
 Not applicable.

 Waste code number:
 20 01 14

 Disposal of packaging:
 Dispose of as normal industrial waste. Clean with water.

 NB:
 The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# Section 14: Transport information

14.1. UN number

UN number: UN1760

# (ENVIROCHEM) ENVIROFORCE POWERFUL ACIDIC DESCALE

		Page:
14.2. UN proper shipping name		J
Shipping name:	CORROSIVE LIQUID, N.O.S.	
	(HYDROCHLORIC ACID)	
14.3. Transport hazard class(es	s)	
Transport class:	8	
14.4. Packing group		
Packing group:	III	
14.5. Environmental hazards		
Environmentally hazardous:	No Marine pollutant: No	
14.6. Special precautions for u	ser	
Special precautions:	No special precautions.	
Tunnel code:		
Transport category:		
Section 15: Regulatory information	ation	
15.1. Safety, health and environ	nmental regulations/legislation specific for the substance or mixture	
Specific regulations:	Not applicable.	
15.2. Chemical Safety Assessn	nent	
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture by	
	the supplier.	
Section 16: Other information		
Other information		
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	2015/830.	
	IMPORTANT NOTE:	
	Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation	า
	when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed	
	product.	
	See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.	
Phrases used in s.2 and s.3:		
	H314: Causes severe skin burns and eye damage.	
	H318: Causes serious eye damage.	
	H335: May cause respiratory irritation.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and	
	shall be used only as a guide. This company shall not be held liable for any damage resulting	l
	from handling or from contact with the above product. For professional and industrial use	
	only.	