

SAFETY DATA SHEET of: Floreal Fresh

Revision date: Friday, June 8, 2018

1 SECTION 1: Identification of the substance/mixture and of the company/undertaking:

1.1 Product identifier:

Floreal Fresh

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Interior cleaner for professional use

Concentration in use: /

1.3 Details of the supplier of the safety data sheet:

Greenspeed

P.O.Box 1250 2280 CG Rijswijk (ZH), NL Phone: +31703458737 — Fax: +31703458942 E-mail: greenspeed@greenspeed.eu — Website: http://www.greenspeed.eu/

1.4 Emergency telephone number:

GB: +31 70 345 87 37 // IE: +353 1 809 2166 (public) // NL: +31 30 274 88 88 (Uitsluitend voor professionele hulpverleners)

2 SECTION 2: Hazards identification:

2.1 Classification of the substance or mixture:

Classification of the substance or mixture in accordance with regulation (EU) 1272/2008:

EUH208 H319 Eye Irrit. 2

2.2 Label elements:

Pictograms:



Warning

Hazard statements:

EUH208: H319 Eye Irrit. 2:	Contains (1,8-Cineole; alpha-Pinene). May produce an allergic reaction. Causes serious eye irritation.
Precautionary statements:	
P305+P351+P338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313:	If eye irritation persists: Get medical advice/attention.
Contains:	
none	

2.3 Other hazards:

none

3 SECTION 3: Composition/information on ingredients:

alcohols, C10-16, ethoxylated, propoxylated	≤8%	CAS number:	69227-22-1
		EINECS:	
		REACH Registration number:	
		CLP Classification:	H302 Acute tox. 4 H318 Eye Dam. 1
D-Glucopyranose, C10-16(even numbered)-alkyl	≤ 5 %	CAS number:	110615-47-9
glycosides		EINECS:	600-975-8
		REACH Registration number:	01-2119489418-23
		CLP Classification:	H315 Skin Irrit. 2 H318 Eye Dam. 1
C8-10 D-glucoside	≤ 3 %	CAS number:	68515-73-1
		EINECS:	500-220-1
		REACH Registration number:	01-2119488530-36
		CLP Classification:	H318 Eye Dam. 1
Sodiumlaurylsulphate	≤ 2 %	CAS number:	85586-07-8
		EINECS:	287-809-4
		REACH Registration number:	01-2119489463-28
		CLP Classification:	H302 Acute tox. 4 H315 Skin Irrit. 2 H318 Eye Dam. 1 H412 Aquatic Chronic 3
alpha-Pinene	≤ 0.2 %	CAS number:	7785-26-4
		EINECS:	232-077-3
		REACH Registration number:	
		CLP Classification:	H226 Flam. Liq. 3 H304 Asp. Tox. 1 H317 Skin Sens. 1 H400 Aquatic Acute 1 H410 Aquatic Chronic 1

1,8-Cineole	≤ 0.2 %	CAS number:	470-82-6
		EINECS:	207-431-5
		REACH Registration number:	01-2119967772-24
		CLP Classification:	H226 Flam. Liq. 3 H317 Skin Sens. 1

For the full text of the H phrases mentioned in this section, see section 16.

4 SECTION 4: First aid measures:

4.1 Description of first aid measures:

Always ask medical advice as soon as possible should serious or continuous disturbances occur.

Skin contact:	remove contaminated clothing, rinse skin with plenty of water and immediately transport to hospital.	
Eye contact:	first prolonged rinsing with water (contact lenses to be removed if this is easily done) then take to physician.	
Ingestion:	rinse mouth, do not induce vomiting, take to hospital immediately.	
Inhalation:	let sit upright, fresh air, rest and take to hospital.	

4.2 Most important symptoms and effects, both acute and delayed:

Skin contact:	none
Eye contact:	redness, pain, blurred vision
Ingestion:	diarrhoea, headache, abdominal cramps, sleepiness, vomiting
Inhalation:	none

4.3 Indication of any immediate medical attention and special treatment needed:

none

5 SECTION 5: Fire-fighting measures:

5.1 Extinguishing media:

CO2, foam, powder, sprayed water

5.2 Special hazards arising from the substance or mixture:

none

5.3 Advice for firefighters:

Extinguishing agents to be none avoided:

6 SECTION 6: Accidental release measures:

6.1 Personal precautions, protective equipment and emergency procedures:

Do not walk into or touch spilled substances and avoid inhalation of fumes, smoke, dusts and vapours by staying up windRemove any contaminated clothing and used contaminated protective equipment and dispose of it safely.

6.2 Environmental precautions:

do not allow to flow into sewers or open water.

6.3 Methods and material for containment and cleaning up:

Contain released substance, store into suitable containers. If possible remove by using absorbent material.

6.4 Reference to other sections:

for further information check sections 8 & 13.

7 SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

handle with care to avoid spillage.

7.2 Conditions for safe storage, including any incompatibilities:

keep in a sealed container in a closed, frost-free, ventilated room.

7.3 Specific end use(s):

Interior cleaner for professional use

8 SECTION 8: Exposure controls/personal protection:

8.1 Control parameters:

Listing of the hazardous ingredients in section 3, of which the TLV value is known

1

8.2 Exposure controls:

Inhalation protection:	respiratory protection is not required. Use ABEK type gas masks in case of irritating exposure. If necessary, use with sufficient exhaust ventilation.	
Skin protection:	handling with nitril-gloves (EN 374). Breakthrough time: >480' Material thickness: 0,35 mm. Thoroughly check gloves before use. Take of the gloves properly without touching the outside with your bare hands. The manufacturer of the protective gloves has to be consulted about the suitability for a specific work station. Wash and dry your hands.	
Eye protection:	keep an eye-rinse bottle within reach. Tight-fitting safety goggles. Wear a face shield and protective suit in case of exceptional processing problems.	
Other protection:	impermeable clothing. The type of protective equipment depends on the concentration and amount of hazardous substances at the work station in question.	

9 SECTION 9: Physical and chemical properties:

9.1 Information on basic physical and chemical properties:

Melting point/melting range:	0 °C
Boiling point/Boiling range:	100 °C — 245 °C

pH:	8.0
pH 1% diluted in water:	1
Vapour pressure/20°C,:	2 332 Pa
Vapour density:	not applicable
Relative density, 20°C:	1.0150 kg/l
Appearance/20°C:	liquid
Flash point:	1
Flammability (solid, gas):	not applicable
Auto-ignition temperature:	1
Upper flammability or explosive limit, (Vol %):	9.000 %
Lower flammability or explosive limit, (Vol %):	1.400 %
Explosive properties:	not applicable
Oxidising properties:	not applicable
Decomposition temperature:	1
Solubility in water:	not soluble
Partition coefficient: n- octanol/water:	not applicable
Odour:	characteristic
Odour threshold:	not applicable
Dynamic viscosity, 20°C:	1 mPa.s
Kinematic viscosity, 40°C:	1 mm²/s
Evaporation rate (n-BuAc = 1):	0.300

9.2 Other information:

Volatile organic component (VOC):	1
Volatile organic component (VOC):	10.000 g/l
Sustained combustion test :	1

10 SECTION 10: Stability and reactivity:

10.1 Reactivity:

stable under normal conditions.

10.2 Chemical stability:

extremely high or low temperatures.

10.3 Possibility of hazardous reactions:

none

10.4 Conditions to avoid:

protect from sunlight and do not expose to temperatures exceeding + 50°C.

10.5 Incompatible materials:

acids, alkalines, oxidants, reductants

10.6 Hazardous decomposition products:

doesn't decompose with normal use

11 SECTION 11: Toxicological information:

11.1 Information on toxicological effects:

H319 Eye Irrit. 2:

Causes serious eye irritation.

Calculated acute toxicity, ATE oral: / Calculated acute toxicity, ATE / dermal:

alcohols, C10-16, ethoxylated, propoxylated	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	1 800 mg/kg ≥ 5 000 mg/kg ≥ 50 mg/l
D-Glucopyranose, C10-16(even numbered)- alkyl glycosides	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5 000 mg/kg ≥ 5 000 mg/kg ≥ 50 mg/l
C8-10 D-glucoside	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5 000 mg/kg ≥ 5 000 mg/kg ≥ 50 mg/l
Sodiumlaurylsulphate	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	1 800 mg/kg ≥ 5 000 mg/kg ≥ 50 mg/l
alpha-Pinene	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5 000 mg/kg ≥ 5 000 mg/kg ≥ 50 mg/l
1,8-Cineole	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5 000 mg/kg ≥ 5 000 mg/kg ≥ 50 mg/l

12 SECTION 12: Ecological information:

12.1 Toxicity:

C8-10 D-glucoside	NOEC (Daphnia):	190 mg/l (96h) (Danio rerio) >100 mg/l (48h) >100 mg/l (72h) 37 mg/l (72 h) (Scenedesmus subspicatus)
Sodiumlaurylsulphate	LC50 (Fish): EC50 (Daphnia): EC50 (Algae): NOEC (Algae): EC50 (soil microorganisms	1.3 mg/L (96h) 2.8 mg/L (48h) 20 mg/L (72h) 3 mg/L (72h)): 680 mg/L (3h)

1,8-Cineole	LC50 (Fish):	57 mg/L, 4d
	NOEC (Fish):	32 mg/L, 4d
	EC50 (Daphnia):	100 mg/L, 48h
	NOEC (Daphnia):	100 mg/L, 48h
	EC50 (Algae):	74 - 100 mg/L, 4d
	NOEC (Algae):	9.1 - 50 mg/L, 4d
	EC50 (soil microorganisms):	100 mg/L, 3h

12.2 Persistence and degradability:

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential:

	Additional data:
1,8-Cineole	Log Pow = 3,4

12.4 Mobility in soil:

Water hazard class, WGK (AwSV):	1
Solubility in water:	not soluble

12.5 Results of PBT and vPvB assessment:

No additional data available

12.6 Other adverse effects:

No additional data available

13 SECTION 13: Disposal considerations:

13.1 Waste treatment methods:

The product may be discharged in the indicated percentages of utillization, provided it is neutralised to pH 7. Possible restrictive regulations by local authority should always be adhered to.

14 SECTION 14: Transport information:

14.1 UN number:

not applicable

14.2 UN proper shipping name:

ADR, IMDG, ICAO/IATA not applicable

14.3 Transport hazard class(es):

ot applicable
ot applicable

14.4 Packing group:

14.5 Environmental hazards:

not dangerous to the environment

14.6 Special precautions for user:

Hazard characteristics:	not applicable
Additional guidance:	not applicable

15 SECTION 15: Regulatory information:

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Water hazard class, WGK (AwSV):	1
Volatile organic component (VOC):	1
Volatile organic component (VOC):	10.000 g/l
Composition by regulation (EC) 648/2004:	Nonionic surfactants 5% - 15%, Anionic surfactants < 5%, Perfumes (Limonene, Linalool)

15.2 Chemical Safety Assessment:

No data available

16 SECTION 16: Other information:

Legend to abbreviations used in the safety data sheet:

ADR:	The European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF:	Bioconcentration factor
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging of chemicals
EINECS:	European INventory of Existing Commercial chemical Substances
Nr.:	number
PTB:	persistent, toxic, bioaccumulative
TLV:	Threshold Limit Value
vPvB:	very persistent and very bioaccumulative substances
WGK:	Water hazard class
WGK 1:	slightly hazardous for water
WGK 2:	hazardous for water
WGK 3:	extremely hazardous for water

Legend to the H Phrases used in the safety data sheet:

EUH208: Contains (1,8-Cineole; alpha-Pinene). May produce an allergic reaction.
H226 Flam. Liq. 3: Flammable liquid and vapour.
H302 Acute tox. 4: Harmful if swallowed.
H304 Asp. Tox. 1: May be fatal if swallowed and enters airways.
H315 Skin Irrit. 2: Causes skin irritation.
H317 Skin Sens. 1: May cause an allergic skin H319 Eye Irrit. 2: Causes serious eye damage.
H400 Aquatic Acute 1: Very toxic to aquatic life.
H410 Aquatic Chronic 1: Very toxic to aquatic life with long lasting effects.

CLP Calculation method:

Calculation method

Reason of revision, changes of following items:

Section: 9.1

MSDS reference number:

ECM-108973,00

This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 2015/830. Classification has been calculated in accordance with European regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. To use this preparation for an experiment or a new application , the user must carry out a material suitability and safety study himself.