

In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Paint & Graffiti Removal Wipes

Version: Version 3 Date: 24/06/2015 1 of 10 Page:

Supersedes: Version 2: dated 01/07/2014

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE **COMPANY / UNDERTAKING**

1.1 Product identifier Paint & Graffiti Removal Wipes

> Other means of identification EBPG150JAN BK220

1.2 Relevant identified uses of the substance or mixture and uses advised against

> Uses: A wet wipe for the removal of paint, ink & graffiti from non-porous surfaces.

Not to be used for:

13 Details of the supplier of the Safety Data Sheet

> **Company Name:** Jangro Ltd

Address: Jangro House

> Worsley Road Farnworth Bolton BL49LU

Telephone: 01204 795955

01204 579499 Fax:

E-mail: enquiries@jangrohq.net

Web Site www.jangro.net

14 **Emergency telephone**

number

Telephone: National Poisons Information Service (UK) +44 (0)844 8920111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

67/548/EEC Xi; R36

Symbols: Xi: Irritant.



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Paint & Graffiti Removal Wipes

Version: Version 3 Date: 24/06/2015 Supersedes: Version 2: dated 01/07/2014 Page: 2 of 10

Main Hazards Irritating to eyes.

- EC 1272/2008 Eye Dam. 1: H318;

2.2 Label elements



Signal Word Danger

Hazard Statement Eye Dam. 1: H318 - Causes serious eye damage.

Precautionary Statement:

Prevention

P102 - Keep out of reach of children.

P103 - Read label before use.

Precautionary Statement:

Response

P101 - If medical advice is needed, have product container or label at hand.

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor / physician if

you feel unwell.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/ physician.

2.3 Other hazards This product does not contain any PBT or VPvB substances.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Dipropylene Glycol Monomethyl Ether ((2-methoxy methylethoxy)		34590-94-8	252-104-2		20 - 30%	



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Paint & Graffiti Removal Wipes

Version:Version 3Date: 24/06/2015Supersedes:Version 2: dated 01/07/2014Page: 3 of 10

propanol) (L) C9 - 11 Pareth-9		68439-45-2		1 - 10%	Xn; R22 Xi;
Methanol	603-001-00-X	67-56-1	200-659-6	0 - 0.5%	R41 F; R11 T; R23/24/25- 39/23/24/25

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Dipropylene Glycol Monomethyl Ether ((2-methoxy methylethoxy) propanol)		34590-94-8	252-104-2		20 - 30%	
(L) C9 - 11 Pareth-9		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Methanol	603-001-00-X	67-56-1	200-659-6		0 - 0.5%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;

Further information For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Inhalation is unlikely due to liquid impregnated on a fabric substrate. Considered to be not hazardous by inhalation. Seek medical attention if irritation or symptoms persist.
Eye contact	Eye contact is unlikely due to liquid impregnated on a fabric substrate. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	No irritation expected. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion is highly unlikely due to liquid impregnated on a fabric substrate. Rinse mouth thoroughly, DO NOT INDUCE VOMITING. Seek medical attention if



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Paint & Graffiti Removal Wipes

Version 3 Version: Date: 24/06/2015 4 of 10 Page:

Supersedes: Version 2: dated 01/07/2014

irritation or symptoms persist.

4.2 Most important symptoms and effects, both acute and delayed

> Inhalation No specific symptoms noted.

Eye contact May cause eye irritation.

Skin contact May cause skin irritation.

Ingestion No specific symptoms noted.

4.3 Indication of any immediate If you feel unwell, seek medical advice (show the label where possible). No

medical attention specific first aid measures noted. and special treatment needed

SECTION 5: FIREFIGHTING MEASURES

5.1 Product is not flammable. Use extinguishing media appropriate to the surrounding Extinguishing media

fire conditions.

5.2 Special hazards arising from

the substance or mixture

None.

5.3 Advice for firefighters Wear protective gloves / protective clothing / eye protection / face protection. Wear

suitable respiratory equipment when necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and

emergency procedures

Large spillages are highly unlikely due to liquid impregnated on a fabric substrate.

6.2 Environmental precautions Large spillages are highly unlikely due to liquid impregnated on a fabric substrate.

Advise local authorities if large spills cannot be contained. Do not allow product to enter drains. Do not flush into surface water. Prevent further spillage if safe.

6.3 Methods and material for

containment and cleaning up

Large spillages are highly unlikely due to liquid impregnated on a fabric substrate. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for

disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections For recommended personal protective equipment see Section 8. For disposal see

Section 13.

SECTION 7: HANDELING AND STORAGE



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Paint & Graffiti Removal Wipes

Version 3 Date: 24/06/2015 Version: 5 of 10 Page:

Supersedes: Version 2: dated 01/07/2014

7.1 **Precautions** for Avoid contact with eyes. safe

handling Adopt best Manual

Handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, Keep out of the reach of children. Keep in a cool, dry, well ventilated area. Keep

including containers tightly closed. Store in correctly labelled containers. Do NOT allow to

incompatibilities freeze.

7.3 Specific end use No relevant information available.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

8.1.1 **Exposure Limit Values**

> Dipropylene Glycol WEL 8-hr limit ppm: 50 WEL 8-hr limit mg/m3: 308

Monomethyl Ether ((2methoxy methylethoxy)

propanol)

WEL 15 min limit ppm: -WEL 15 min limit mg/m3: -

Menthol WEL 8-hr limit ppm: 200 WEL 8-hr limit mg/m3: 266

> WEL 15 min limit ppm: 250 WEL 15 min limit mg/m3: 333

8.2 **Exposure controls**

Individual

measures

8.2.2

8.2.1 Keep in a cool, dry, well ventilated area. Wear protective gloves/protective **Appropriate** engineering

Wear protective clothing.

Controls clothing / eye protection / face protection.

In case of splashing, wear:. Approved safety goggles. Provide eye wash station. Eye / face protection

8.2.3 **Environmental** Do not empty into drains. Do not flush into surface water. Prevent further spillage

exposure controls if safe.

protection

8.2.3. Further information Information valid at the time of review of safety data sheet.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Paint & Graffiti Removal Wipes

Version: Version 3 Date: 24/06/2015 Supersedes: Version 2: dated 01/07/2014 Page: 6 of 10

a Appearance: White or Blue nonwoven fabric impregnated with a yellow solution.

b Odour: Unfragranced but characteristic alcoholic odour.

c Odour threshold: Not available.

d pH: 5.5-6.0

e Melting point / freezing point: Not available.

f Initial boiling point and

boiling range:

Not available.

g Flash point: Not available.

h Evaporation rate: Not available.

i Flammability (solid, gas): Not applicable.

j Upper / lower flammability or

explosive limits:

Not available.

k Vapour pressure: Not available.

1 Vapour density: Not available.

m Relative density: 0.85

n Solubility(ies): Soluble in water.

o Partition coefficient: n-octanol

/ water:

Not available.

Auto-ignition temperature: Not available.

q Decomposition temperature: Not available.

r Viscosity: Not available.

Explosive properties: Not available.

Oxidising properties: Not available.

9.2 Other information None available.

SECTION 10: STABILITY AND REACTIVITY



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Paint & Graffiti Removal Wipes

Version: Version 3 Date: 24/06/2015

Supersedes: Version 2: dated 01/07/2014 Page: 7 of 10

10.1 Reactivity No specific reactivity hazards associated with this product.

10.2 Chemical Stability Stable under normal conditions. Will not decompose if stored and used as

recommended.

10.3 Possibility of hazardous Strong acids and Strong bases. Strong oxidising agents.

reactions

products

10.4 Conditions to avoid Heat. Do NOT allow to freeze.

10.5 Incompatible materials Strong acids and Strong bases. Strong oxidising agents.

10.6 Hazardous decomposition Combustion of the product will generate toxic fumes containing oxides of carbon

may be formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Based on available data the classification criteria are not met.

Skin corrosion / irritation Based on available data the classification criteria are not met.

Serious eye damage / irritation May cause eye damage...

Respiratory or skin

sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity No mutagenic effects reported.

Carcinogenicity No carcinogenic effects reported.

Reproductive toxicity No teratogenic effects reported.

STOT-single exposure Not classified as a specific target organ toxicant after repeated exposure.

STOT-repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard Based on available data the classification criteria are not met.

11.1.4 Toxicological Information

(L) C9 - 11 Pareth-9 Oral Rat LD50: 200-2000 mg/kg

Methanol Inhalation Rat LC50/4 h: 128.2 mg/l Oral Rat LD50: > 1187 mg/kg

Dermal Rabbit LD50: 17100 mg/kg

SECTION 12: ECOLOGICAL INFORMATION



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Paint & Graffiti Removal Wipes

Version: Version 3 Date: 24/06/2015 Supersedes: Version 2: dated 01/07/2014 8 of 10 Page:

12.1 **Toxicity**

Persistence The surfactant(s) contained in this preparation complies (comply) with the 12.2 and

degradability biodegradability criteria as laid down in the Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent

authorities of the Member States and will be made available to them, at their direct

request or at the request of a detergent manufacturer.

12.3 Bio accumulative potential No data available.

12.4 Mobility in soil Soluble in water

12.5 Results of PBT and vPvB The product does not contain any PBT or vPvB substances.

assessment

12.6 Other adverse effects Not known.

SECTION 13: DISPOSAL CONSIDERATION

Waste treatment methods Contact a licensed waste disposal company. Dispose of as special waste in 13.1

compliance with local and national regulations. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. Empty containers can be sent to landfill after cleaning, if in compliance with

local and national regulations.

SECTION 14: TRANSPORT INFORMATION

Hazard Pictograms

14.1 **UN** number Not applicable.

14.2 UN proper shipping name Not applicable.

14.3 Transport hazard class(es) Not applicable.

14.4 Packing group Not applicable.

14.5 **Environmental hazards** Not applicable.

> **Marine Pollutant** Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Transport in bulk according Not applicable.

to Annex II of MARPOL 73

/78 and the IBC Code



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Paint & Graffiti Removal Wipes

Version 3 Version: Date: 24/06/2015 9 of 10 Page:

Supersedes: Version 2: dated 01/07/2014

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Commission Directive 2000/39/EC of 8 June 2000 established a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Regulation, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from

the risks related to exposure to chemical, physical and biological agents at work.

15.2 No assessment has been carried out. Chemical safety assessment

SECTION 16: OTHER INFORMATION

Text of risk phrases in

Section 3

R11 - Highly flammable.

R22 - Harmful if swallowed.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R39/23/24/25 - Toxic: danger of very serious irreversible effects through

inhalation, in contact with skin and if swallowed.

R41 - Risk of serious damage to eyes.

Text of Hazard Statements

in Section 3

Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin.

Acute Tox. 3: H331 - Toxic if inhaled. STOT SE 1: H370 - Causes damage to organs.

ADR European Agreement concerning the International Carriage of Dangerous Glossary

Goods by Road

IATA International Air Transport Association IMDG International Maritime Dangerous Goods

PBT Persistent, bio accumulative, toxic

RID Convention concerning International Carriage by Rail

vPvB very persistent, very bio accumulative STOT Specific Target Organ Toxicity



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Paint & Graffiti Removal Wipes

 Version:
 Version 3
 Date: 24/06/2015

 Supersedes:
 Version 2: dated 01/07/2014
 Page: 10 of 10

WEL Workplace Exposure Limit.

General Information No relevant information required

Further Information The information supplied in this Safety Data Sheet is designed only as guidance for

the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy, reliability or completeness. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. It is the user's

responsibility to satisfy him/herself as to the suitability of such information for his \slash

her own particular use.