

Safety data sheet according to 1907/2006/EC, Article 31

	2015 Version number 6	Revision: 22.01.201
SECTION 1: Ide	ntification of the substance/mixture and of the company/und	dertaking
1.1 Product ider	ntifier	
Trade name: JAI	NGRO RESTORATION CLEANER	
Sector of Use C Product catego	entified uses of the substance or mixture and uses advised a	ed products)
1.3 Details of th Manufacturer/Si Craftex Cleaning Greenstalls Park Ilchester, Somer	Systems , Costello Hill	
	tion obtainable from: Product safety department. telephone number: 01935 842509	
SECTION 2: Haz	zards identification	
	<i>ccording to Regulation (EC) No 1272/2008</i> 05 corrosion	
Skin Corr. 1A H	314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H <i>2.2 Label eleme</i> <i>Labelling accor</i>	ding to Regulation (EC) No 1272/2008	
Eye Dam. 1 H 2.2 Label eleme Labelling accord	nts ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation.	
Eye Dam. 1 Ho 2.2 Label eleme Labelling accorr The product is cli Hazard pictograd GHS05	nts ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. ams	
Eye Dam. 1 Ho 2.2 Label eleme Labelling accorr The product is cli Hazard pictogra GHS05 Signal word Dar	nts ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. ams	
Eye Dam. 1 Ho 2.2 Label eleme Labelling accorr The product is cli Hazard pictogra GHS05 Signal word Dar	nts ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. ams nger ning components of labelling: re um salt	
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is clu Hazard pictogra GHS05 Signal word Dar Hazard-determin alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se	nts ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. ams nger ning components of labelling: ie im salt onts vere skin burns and eye damage.	
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is cl. Hazard pictograd GHS05 Signal word Dar Hazard-determina alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se Precautionary s	Ints ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. ams nger ning components of labelling: ie im salt nts vere skin burns and eye damage. statements	t band
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is cli- Hazard pictograd GHS05 Signal word Dar Hazard-determin alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se Precautionary s P101	ants ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. ams nger ning components of labelling: re um salt vere skin burns and eye damage. statements If medical advice is needed, have product container or label a	t hand.
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is cl. Hazard pictograd GHS05 Signal word Dar Hazard-determina alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se Precautionary s	Ints ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. ams nger ning components of labelling: ie im salt nts vere skin burns and eye damage. statements	t hand.
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is clu Hazard pictogra GHS05 Signal word Dar Hazard-determin alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se Precautionary s P101 P102 P103 P260	In the formation of the text of text o	
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is cl. Hazard pictograd GHS05 Signal word Dar Hazard-determin alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se Precautionary s P101 P102 P103 P260 P303+P361+P35 P305+P351+P33	In the formation of the text of text of the text of the text of the text of te	ntaminated clothing. Rinse skin with wate
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is cla Hazard pictograd GHS05 Signal word Dar Hazard-determin alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se Precautionary s P101 P102 P103 P260 P303+P361+P35 P305+P351+P33 P310	In the second se	ntaminated clothing. Rinse skin with wate
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is cla Hazard pictograd GHS05 Signal word Dar Hazard-determin alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se Precautionary s P101 P102 P103 P260 P303+P361+P35 P305+P351+P33 P310 P405	Infs ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. ams Inger ining components of labelling: ie im salt ints Vere skin burns and eye damage. statements If medical advice is needed, have product container or label a Keep out of reach of children. Read label before use. Do not breathe dust/fume/gas/mist/vapours/spray. 33 IF ON SKIN (or hair): Remove/Take off immediately all co shower. 38 IF IN EYES: Rinse cautiously with water for several minutes. to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up.	ntaminated clothing. Rinse skin with water Remove contact lenses, if present and eas
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is cli Hazard pictograd GHS05 Signal word Dar Hazard-determin alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se Precautionary s P101 P102 P103 P260 P303+P361+P35 P305+P351+P33 P310 P405 P501	Infs ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. ams Inger ining components of labelling: ie im salt ints vere skin burns and eye damage. statements If medical advice is needed, have product container or label a Keep out of reach of children. Read label before use. Do not breathe dust/fume/gas/mist/vapours/spray. 53 IF ON SKIN (or hair): Remove/Take off immediately all co shower. 88 IF IN EYES: Rinse cautiously with water for several minutes. to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container in accordance with local/region	ntaminated clothing. Rinse skin with water Remove contact lenses, if present and eas
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is clu Hazard pictogra GHS05 Signal word Dar Hazard-determin alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se Precautionary s P101 P102 P103 P260 P303+P361+P35 P305+P351+P33 P310 P405 P501 2.3 Other hazard	 Ints ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. ams Inger Ining components of labelling: In salt Ints If medical advice is needed, have product container or label a Keep out of reach of children. Read label before use. Do not breathe dust/fume/gas/mist/vapours/spray. IF ON SKIN (or hair): Remove/Take off immediately all co shower. Bit F IN EYES: Rinse cautiously with water for several minutes. to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container in accordance with local/region ds 	ntaminated clothing. Rinse skin with water Remove contact lenses, if present and eas
Eye Dam. 1 HC 2.2 Label eleme Labelling accord The product is clu Hazard pictogra GHS05 Signal word Dar Hazard-determin alcohol ethoxylat silicic acid, sodiu Hazard stateme H314 Causes se Precautionary s P101 P102 P103 P260 P303+P361+P35 P305+P351+P33 P310 P405 P501 2.3 Other hazard	In the second se	ntaminated clothing. Rinse skin with water Remove contact lenses, if present and eas

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 6

Revision: 22.01.2015

(Contd. of page 1)

Trade name: JANGRO RESTORATION CLEANER

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

2.5-10%
2.5-10%
≤ 2.5%
≤ 2.5%
< 5%

SECTION 4: First aid measures

4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
 After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away
- 6.2 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

(Contd. on page 3)

GB

Page 3/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 6

Revision: 22.01.2015

(Contd. of page 2)

Trade name: JANGRO RESTORATION CLEANER

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

· Further information about storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m³

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical

mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • *Eve protection:*



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

- General Information
- · Appearance:
- Form:
- Colour:
- Odour:
- Odour threshold:
- Liquid Green Characteristic Not determined.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 6

Revision: 22.01.2015

Trade name: JANGRO RESTORATION CLEANER

	(Contd. of page 3)
· pH-value at 20 ℃:	13.5
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 100 ℃
· Flash point:	151 ℃
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapour pressure:	Not determined.
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Fully miscible.
· Partition coefficient (n-octanol/water	r): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: 	0.0 %
Solids content: • 9.2 Other information	0.5 % No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

•	11.1	Int	format	ion	on	toxi	icol	logi	cal	ef	fect	s
---	------	-----	--------	-----	----	------	------	------	-----	----	------	---

· Acute toxicity:

۰L	.D/LC50	values	relevant fo	or classification:
----	---------	--------	-------------	--------------------

1310-73-2 sodium hydroxide

- Oral LD50 2000 mg/kg (rat)
 - LC50/96 h 33 189 mg/l (fish)
- · Primary irritant effect:

· on the eye: Strong caustic effect.

· Sensitisation: No sensitising effects known.

(Contd. on page 5) GB

[·] on the skin: Caustic effect on skin and mucous membranes.

Page 5/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 6

Revision: 22.01.2015

(Contd. of page 4)

Trade name: JANGRO RESTORATION CLEANER

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1310-73-2 sodium hydroxide

- EC50/48 h 40 240 mg/l (daphnia)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household waste. Do not allow product to reach sewage system.

· Uncleaned packaging:

- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN3267
14.2 UN proper shipping name	
ADR	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIU HYDROXIDE)
IMDG, IATA	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIU HYDROXIDE)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
8	
Class	8 Corrosive substances.
Label	8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Version number 6

Revision: 22.01.2015

Trade name: JANGRO RESTORATION CLEANER

	(Contd. of page
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	
· Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
· EMS Number:	F-A,S-B
Segregation groups	Alkalis
14.7 Transport in bulk according to Ann	ex II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (ÉQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUN HYDROXIDE), 8, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

· Department issuing MSDS: Product safety department.

- Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods
- by Road) IMDG: International Maritime Code for Dangerous Goods
- IMDCs: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

- Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity Single exposure, Hazard Category 3